

EXTENSIVE COMPETITIVE CROSSOVER



vs.

BRADLEY

Document Updated Jan. 2016

BRADLEY MODEL	DESCRIPTION		ACORN SAFETY MODEL
<p>Notes: All models noted with * are now barrier free standard. Closely check specification to determine if barrier free is needed or not and then quote appropriate Acorn Model. LEGEND: EQ= Equivalent; BE=Best Equivalent; ALT=Suggested Alternate; SPECIAL=Special Order (contact Acorn Customer Service)</p>			
S19-110BF	Pedestal drench shower, plastic head, barrier free	EQ	S1300-PR60
S19-110BFSS	Pedestal drench shower, all stainless steel, barrier free	EQ	S2300-AS-PR60
S19-110SS	Pedestal drench shower, all stainless steel	EQ	S2300-AS
S19-120	Horizontal drench shower, plastic head	EQ	S1200
S19-120A	Horizontal drench shower, stainless steel head	EQ	S2200
S19-120ABF	Horizontal drench shower stainless steel head, barrier free	EQ	S2200-PR60
S19-120BF	Horizontal drench shower, plastic head, barrier free	EQ	S1200-PR60
S19-120FM	Drench shower, recessed stainless steel head	EQ	S3200-PR43
S19-120FMBF	Drench shower, recessed stainless steel head, barrier free	EQ	S3200-PR60
S19-120G	Horizontal drench shower, plastic head, pull cord, self-closing valve	ALT	S1200
S19-120HFP Series	Freeze resistant horizontal drench shower, plastic head, thru wall activation	EQ	S1200-FRV
S19-120P	Horizontal drench shower, plastic head and drench hose	EQ	S1201
S19-120SS	Horizontal drench shower, all stainless steel	EQ	S2200-AS
S19-120SSBF	Horizontal drench shower, all stainless steel, barrier free	EQ	S2200-AS-PR60
S19-125BF	Vertical drench shower, stainless steel head, recessed activation, barrier free	EQ	S2100-PE21-RA
S19-125FMBF	Vertical drench shower, recessed stainless steel head, recessed activation, barrier free	EQ	S3200-RA
S19-125SBF	Vertical drench shower, stainless steel head, surface mount lever, barrier free	EQ	S2100-PE21-RA
S19-125SFMBF	Vertical drench shower, recessed stainless steel head, surface mount lever, barrier free	EQ	S3200-RA
S19-130	Vertical drench shower, plastic head	EQ	S1100
S19-130A	Vertical drench shower, stainless steel head	EQ	S2100
S19-130ABF	Vertical drench shower, stainless steel head, barrier free	EQ	S2100-PR60
S19-130BF	Vertical drench shower, plastic head, barrier free	EQ	S1100-PR60
S19-130F	Vertical drench shower, plastic head, pull cord, self-closing valve	ALT	S1100
S19-130SS	Vertical drench shower, all stainless steel	EQ	S2100-AS

EXTENSIVE COMPETITIVE CROSSOVER



vs.

BRADLEY

Document Updated Jan. 2016

BRADLEY MODEL	DESCRIPTION	ACORN SAFETY MODEL
<p>Notes: All models noted with * are now barrier free standard. Closely check specification to determine if barrier free is needed or not and then quote appropriate Acorn Model. LEGEND: EQ= Equivalent; BE=Best Equivalent; ALT=Suggested Alternate; SPECIAL=Special Order (contact Acorn Customer Service)</p>		
S19-130SSBF	Vertical drench shower, all stainless steel, barrier free	EQ S2100-AS-PR60
S19-2000	8 GPM thermostatic mixing valve	EQ ET71-1
S19214EW*	Pedestal eyewash, plastic bowl	EQ S0310 or S0310-BF
S19-2100	36 GPM thermostatic mixing valve	EQ ET71-2
S19214B*	Pedestal eyewash, stainless steel bowl	EQ S0330 or S0330-BF
S19214Y*	Pedestal eye/face wash, stainless steel bowl, barrier free	EQ S0340 or S0340-BF
S19214BSS*	Pedestal eyewash, all stainless steel	EQ S0330-AS or S0330-AS-BF
S19214DC*	Pedestal eyewash, stainless steel bowl, stainless steel dust cover	EQ S0330-CS1 or S0330-BF-CS1
S19214DCFW*	Pedestal eye/face wash, stainless steel bowl, stainless steel dust cover	EQ S0340-CS1 or S0340-BF-CS1
S19214FW*	Pedestal eye/face wash, plastic bowl	EQ S0320 or S0320-BF
S19-210HFP Series	<i>[obsolete]</i> Frost proof pedestal eyewash, stainless steel bowl, w/bury valve	EQ S0330-FPB <i>specify bury depth</i>
S19224P*	Pedestal eye/face wash, stainless steel bowl, drench hose	EQ S0341 or S0341-BF
S19214SC*	Pedestal eye wash, all stainless steel, stainless steel dust cover	EQ S0330-AS-CS1 or S0330-AS-BF-CS1
S19214YF*	Pedestal eye/face wash, stainless steel bowl, hand/foot control	EQ S0340-HFC or S0340-BF-HFC
S19224EW*	Wall mounted eyewash, plastic bowl	EQ S0410 or S0410-BF
S19-2200	67 GPM thermostatic mixing valve	EQ ET71-3
S19-220ABF	<i>[obsolete]</i> Wall mounted eyewash, plastic bowl, barrier free	EQ S0410-BF
S19224B*	Wall mounted eyewash, stainless steel bowl	EQ S0430 or S0430-BF
S19-220BF	Wall mounted eye/face w/face ring, wrap around stainless steel bowl, barrier free	BE S0480-BF
S19-220BBF*	Wall mounted eyewash, stainless steel bowl, barrier free	EQ S0430 or S0430-BF
S19224BPT*	Wall mounted eyewash, stainless steel bowl, P-trap	EQ S0430-PT1 or S0430-BF-PT1
S19-220BSS	Wall mounted eyewash, all stainless steel	EQ S0430-AS-SSE
S19224DC*	Wall mounted eyewash, stainless steel bowl, stainless steel dust cover	EQ S0430-CS1 or S0430-BF-CS1

EXTENSIVE COMPETITIVE CROSSOVER



vs.

BRADLEY

Document Updated Jan. 2016

BRADLEY MODEL	DESCRIPTION	ACORN SAFETY MODEL
<p>Notes: All models noted with * are now barrier free standard. Closely check specification to determine if barrier free is needed or not and then quote appropriate Acorn Model. LEGEND: EQ= Equivalent; BE=Best Equivalent; ALT=Suggested Alternate; SPECIAL=Special Order (contact Acorn Customer Service)</p>		
S19224DCFW*	Wall mounted eye/face wash, stainless steel bowl, stainless steel dust cover	EQ S0440-CS1 or S0440-BF-CS1
S19224DCPT*	Wall mounted eyewash, stainless steel bowl, stainless steel dust cover, P-trap	EQ S0430-CS1-PT1 or S0430-BF-CS1-PT1
S19-220DCSS	Wall mounted eye/face wash, all stainless steel except spray heads, stainless steel dust cover	EQ S0440-AS-CS1
S19224FW *	Wall mounted eye/face wash, plastic bowl	EQ S0420 or S0420-BF
S19224FWPT *	Wall mounted eye/face wash, plastic bowl, P-trap	EQ S0420-PT1 or S0420-BF-PT1
S19-220HFP Series	Freeze resistant, wall mounted eyewash, stainless steel bowl, thru wall activation	EQ S0430-FRV
S19224P*	Wall mounted eye/face wash stainless steel bowl, drench hose	EQ S0441 or S0441-BF
S19224PT *	Wall mounted eyewash, plastic bowl, P-trap	EQ S0410-PT1 or S0410-BF-PT1
S19224SC*	Wall mounted eyewash, all stainless steel, stainless steel dust cover	EQ S0430-AS-BF or S0430-AS-BF-CS1
S19224T*	Wall mounted eye/face wash, stainless steel bowl	EQ S0440 or S0440-BF
S19224TPT *	Wall mounted eye/face wash, stainless steel bowl, P-trap	EQ S0440-PT1 or S0440-BF-PT1
S19-220TSS	Wall mounted eye/face wash, all stainless steel except spray heads	EQ S0440-AS
S19224Y*	Wall mounted eye/face wash w/face ring, stainless steel bowl, hand/foot control	ALT S0440 or S0440-BF, <i>exception to HFC</i>
S19-2300	103 GPM thermostatic mixing valve	BE ET71-3
S10-230DT	<i>[obsolete]</i> Raised deck mounted eyewash, stainless steel bowl, 1/2" horizontal valve	SPECIAL <i>Contact Acorn CS</i>
S19-240	Wall mounted eyewash, no bowl	EQ S0450
S19-240FW	Wall mounted eye/face wash, no bowl	EQ S0460
S19-240E	<i>[obsolete]</i> Deck mounted drench hose, eyewash, stay open valve and push flag, 12' coiled hose	EQ S0708-CH12
S19-260	Deck mounted eye/face wash, stainless steel bowl, push down valve	EQ S0740-PDV
S19-270B	Deck mounted eyewash, swivel with 1/2" stay open valve and push flag, right hand mount	EQ S0A50-RH

EXTENSIVE COMPETITIVE CROSSOVER



vs.

BRADLEY

Document Updated Jan. 2016

BRADLEY MODEL	DESCRIPTION		ACORN SAFETY MODEL
<p>Notes: All models noted with * are now barrier free standard. Closely check specification to determine if barrier free is needed or not and then quote appropriate Acorn Model. LEGEND: EQ= Equivalent; BE=Best Equivalent; ALT=Suggested Alternate; SPECIAL=Special Order (contact Acorn Customer Service)</p>			
S19-270BL	Deck mounted eyewash, swivel with 1/2" stay open valve and push flag, left hand mount	EQ	S0A50-LH
S19-270C	Deck mounted eyewash, swivel activation	EQ	S0950-RH
S19-270E	Deck mounted eye/face wash, swivel activation	EQ	S0960-RH
S19-270HD	Deck mounted eyewash, swing down activation	EQ	S0850-RH
S19-270HW	Wall mounted eyewash, swing down activation	EQ	S0650-RH
S19-270JD	Deck mounted eye/face wash, swing down activation	EQ	S0860-RH
S19-270JW	Wall mounted eye/face wash, swing down activation	EQ	S0660-RH
S19-280D	Deck mounted eyewash, swing down activation, barrier free	BE	S0850-RH
S19-280W	Wall mounted eyewash, swing down activation, barrier free	BE	S0650-RH
S19284H	Recessed wall mounted eyewash, swing down activation	EQ	S0550
S19284HD	Recessed wall mounted eyewash, swing down activation barrier free	EQ	S0550
S19284J	Recessed wall mounted eye/face wash, swing down activation	EQ	S0560
S19284JB	Recessed wall mounted eye/face wash, swing down activation, barrier free	EQ	S0560
S19-290D	Deck mounted eye/face wash, swing down activation, barrier free	EQ	S0860-RH
S19-290W	Wall mounted eye/face wash, swing down activation, barrier free	EQ	S0660-RH
S19294HB	Recessed wall mounted eyewash, drain pan, swing down activation	EQ	S0550-PAN
S19294HBT	Recessed wall mounted eyewash, swing down activation w/drain pan, p-trap, barrier free	EQ	S0550-PAN
S19294JB	Recessed wall mounted eye/face wash, swing down activation w/drain pan, barrier free	EQ	S0560-PAN
S19294J BT	Recessed wall mounted eye/face wash, swing down activation w/drain pan, P-trap, barrier free	EQ	S0560-PAN-PT1
S19-300B	Freeze resistant shower & eye/face wash, heat traced, plastic showerhead, bottom supply	EQ	S1360-HT
S19-300T	Freeze resistant shower & eye/face wash, heat traced, plastic showerhead, top supply	EQ	S1360-HT

EXTENSIVE COMPETITIVE CROSSOVER



vs.

BRADLEY

Document Updated Jan. 2016

BRADLEY MODEL	DESCRIPTION	ACORN SAFETY MODEL
<p>Notes: All models noted with * are now barrier free standard. Closely check specification to determine if barrier free is needed or not and then quote appropriate Acorn Model. LEGEND: EQ= Equivalent; BE=Best Equivalent; ALT=Suggested Alternate; SPECIAL=Special Order (contact Acorn Customer Service)</p>		
S19314EW	Combination shower & eyewash, plastic head & bowl	EQ S1310
S19314AC	Combination shower & eye/face wash, plastic head, stainless steel bowl, hand/foot control	EQ S1340-HFC
S19314BF	Combination shower & eye/face wash plastic head, stainless steel bowl, barrier free	EQ S1340-BF
S19314BFPB	Combination shower & eye/face wash plastic head & bowl, barrier free	EQ S1320-BF
S19314BFSS	Combination shower & eye/face wash w/face ring, all stainless steel, barrier free	EQ S2340-AS-BF
S19314DC	Combination shower & eyewash, plastic head, stainless steel bowl, stainless steel dust cover	EQ S1330-CS1
S19314DCBF	Combination shower & eye/face wash, plastic head, stainless steel bowl, SS dust cover, barrier free	EQ S1340-BF-CS1
S19-314DCFW	Combination shower & eye/face wash, plastic head, stainless steel bowl, stainless steel dust cover	EQ S1340-CS1
S19314SC	Combination shower & eyewash, all stainless steel, stainless steel dust cover	EQ S2330-AS-CS1-SSE
S19314F	Combination shower & eyewash, stainless steel head & bowl	EQ S2330
S19314FSS	Combination shower & eyewash, all stainless steel	EQ S2330-AS-SSE
S19314FW	Combination shower & eye/face wash, plastic head & bowl	EQ S1320
S19314GG	Combination shower & eye/face wash, plastic head, no bowl	EQ S1360
S19-310HFP Series	<i>[obsolete]</i> Frost proof shower & eye/face wash, plastic head, no bowl w/bury valve	EQ S1360-FPB <i>specify bury depth</i>
S19-310JJ	<i>[obsolete]</i> Combination shower & eyewash, stainless steel head & bowl, polish chrome plated	ALT S2330-AS
S19314LL	Combination shower & eye/face wash, plastic head, stainless steel bowl, hand/foot control	EQ S1340-HFC
S19-310NN Series	<i>[obsolete]</i> Frost proof shower & eyewash, stainless steel head & bowl w/bury valve	EQ S2330-FPB <i>specify bury depth</i>
S19-310NNSS Series	<i>[obsolete]</i> Frost proof shower & eyewash, all stainless steel w/bury valve	EQ S2330-AS-FPB-SSE <i>specify bury depth</i>
S19314P	Combination shower & eyewash, plastic head & bowl, drench hose	EQ S1311

EXTENSIVE COMPETITIVE CROSSOVER



vs.

BRADLEY

Document Updated Jan. 2016

BRADLEY MODEL	DESCRIPTION		ACORN SAFETY MODEL
<p>Notes: All models noted with * are now barrier free standard. Closely check specification to determine if barrier free is needed or not and then quote appropriate Acorn Model. LEGEND: EQ= Equivalent; BE=Best Equivalent; ALT=Suggested Alternate; SPECIAL=Special Order (contact Acorn Customer Service)</p>			
S19-310PVC	Combination shower & eye/face wash, plastic head & bowl, PVC construction	EQ	S1320-PVC
S19314SB	Combination shower & eyewash, plastic head, stainless steel bowl,	EQ	S1330
S19314SBFW	Combination shower & eye/face wash, plastic head & stainless steel bowl	EQ	S1340
S19314SPR	Combination shower & eye/face wash stainless steel head & bowl, hand/foot control	EQ	S2340-HFC
S19314SS	Combination shower & eye/face wash , all stainless steel , hand/foot control	EQ	S2340-AS-HFC
S19-310SS16	Combination shower & eye/face wash w/face ring, all stainless steel (316) , hand/foot control	SPECIAL	Contact Acorn CS
S19314TT	Combination shower & eye/face wash, stainless steel head & bowl	EQ	S2340
S19-310TW Series	Freeze resistant shower & eyewash, plastic head, no bowl, thru wall activation	BE	S1200-FRV & S0410-FRV
S19314UU	Combination shower & eye/face wash, stainless steel head & bowl, hand/foot control	EQ	S2340-HFC
S19345HXB	Recessed shower & eyewash, extended stainless head, drain pan	EQ	S2160-PAN-PE21-RA
S19345HFB	Recessed shower & eyewash, recessed stainless head, drain pan	EQ	S3260-PAN-RA
S19345HFBT	Recessed shower & eyewash, recessed stainless head, drain pan, P-trap	EQ	S3260-PAN-PT1-RA
S19345HXBT	Recessed shower & eyewash, extended stainless head, drain pan, P-trap	EQ	S2160-PAN-PE21-PT1-RA
S19345JXB	Recessed shower & eye/face wash, extended stainless head, drain pan	EQ	S2160-PAN-PE21-RA
S19345JFB	Recessed shower & eye/face wash, recessed stainless head, drain pan	EQ	S3260-PAN-RA
S19345JFBT	Recessed shower & eye/face wash, recessed stainless head, drain pan, P-trap	EQ	S3260-PAN-PT1-RA
S19345JXBT	Recessed shower & eye/face wash, extended stainless head, drain pan, P-trap	EQ	S2160-PAN-PE21-PT1-RA
S19-430A	Drench hose, wall mount, single head, stay-open valve	EQ	S0402
S19-460	Drench hose, deck mount, single head, stay-open valve	EQ	S0702

EXTENSIVE COMPETITIVE CROSSOVER



vs.

BRADLEY

Document Updated Jan. 2016

BRADLEY MODEL	DESCRIPTION	ACORN SAFETY MODEL
Notes: All models noted with * are now barrier free standard. Closely check specification to determine if barrier free is needed or not and then quote appropriate Acorn Model. LEGEND: EQ= Equivalent; BE=Best Equivalent; ALT=Suggested Alternate; SPECIAL=Special Order (contact Acorn Customer Service)		
S19-465EFW	Drench hose, deck mount, two heads, stay-open valve	EQ S0706
S1944011CBC	Drench hose, wall mount, single head, stay-open valve, 12' coiled hose	EQ S0402-CH12
S1944011ABC	Drench hose, wall mount, two heads, stay-open valve, 12' coiled hose	EQ S0406-CH12
S19-921	Portable gravity feed eyewash	EQ S0P50