

EXTENSIVE COMPETITIVE CROSSOVER



vs.

ENCON

Document Updated: Jan. 2016

ENCON MODEL	DESCRIPTION	ACORN SAFETY MODEL
	Note* All Acorn models noted * meet ANSI Z358.1 @ 20 gpm. 30 gpm not required. LEGEND: EQ= Equivalent; BE=Best Equivalent; ALT=Suggested Alternate; SPECIAL=Special order (contact Acorn Customer Service)	
01-030301	Wall mounted eyewash, plastic bowl	EQ S0410
01-030302	Pedestal mounted eyewash, plastic bowl	EQ S0310
01-030309	[obsolete] Pedestal mounted eyewash, plastic bowl	EQ S0310
01-030310	[obsolete] Pedestal mounted eyewash, plastic bowl, drench hose	EQ S0311
01-030312	[obsolete] Pedestal mounted eyewash, plastic bowl, hand/foot control	EQ S0310-HFC
01-030316	[obsolete] Pedestal mounted eyewash, plastic bowl	EQ S0310
01-030316PBC	Pedestal mounted eyewash, stainless steel bowl, plastic dust cover	ALT S0330-CS1
01-030317	[obsolete] Pedestal mounted eyewash, plastic bowl	EQ S0310
01-030317PBC	[obsolete] Pedestal mounted eyewash, stainless steel bowl, plastic dust cover	EQ S0330-CS1
01-030318	[obsolete] Pedestal mounted eyewash, plastic bowl, hand/foot control	EQ S0310-HFC
01-030318PBC	[obsolete] Pedestal mounted eyewash, stainless steel bowl, plastic dust cover	EQ S0330-CS1
01-030319	[obsolete] Pedestal mounted eyewash, plastic bowl, hand/foot control	EQ S0310-HFC
01-030401	Wall mounted eyewash, plastic bowl	EQ S0410
01-030403	[obsolete] Wall mounted eyewash, plastic bowl	EQ S0410
01-030410	[obsolete] Wall mounted eyewash, plastic bowl, P-trap	EQ S0410-PT1
01-030416	[obsolete] Wall mounted eyewash, plastic bowl	EQ S0410
01-030417	[obsolete] Wall mounted eyewash, plastic bowl, P-trap	EQ S0410-PT1
01-03102	[obsolete] Pedestal mounted eyewash, less bowl	EQ S0350
01-035401	Wall mounted eye/face wash, plastic bowl	EQ S0420
01-035402	Pedestal mounted eye/face wash, plastic bowl	EQ S0320
01-035404	[obsolete] Pedestal mounted eye/face wash, plastic bowl	EQ S0320
01-035410	[obsolete] Pedestal mounted eye/face wash, plastic bowl, drench hose	EQ S0321
01-035412	[obsolete] Pedestal mounted eye/face wash, plastic bowl, hand/foot control	EQ S0320-HFC
01-035414	[obsolete] Pedestal mounted eye/face wash, plastic bowl, hand/foot control	EQ S0320-HFC
01-035415	[obsolete] Pedestal mounted eye/face wash, plastic bowl	EQ S0320

EXTENSIVE COMPETITIVE CROSSOVER



VS.

ENCON

Document Updated: Jan. 2016

ENCON MODEL		DESCRIPTION		ACORN SAFETY MODEL
	Note*	All Acorn models noted * meet ANSI Z358.1 @ 20 gpm. 30 gpm not required. LEGEND: EQ= Equivalent; BE=Best Equivalent; ALT=Suggested Alternate; SPECIAL=Special order (contact Acorn Customer Service)		
01-035415PBC	[obsolete]	Pedestal mounted eye/face wash, stainless steel bowl, plastic dust cover	EQ	S0340-CS1
01-035416	[obsolete]	Pedestal mounted eye/face wash, plastic bowl	EQ	S0320
01-035416PBC	[obsolete]	Pedestal mounted eye/face wash, stainless steel bowl, plastic dust cover	EQ	S0340-CS1
01-035417	[obsolete]	Pedestal mounted eye/face wash, plastic bowl, hand/foot control	EQ	S0320-HFC
01-035417PBC	[obsolete]	Pedestal mounted eye/face wash, stainless steel bowl, plastic dust cover, hand/foot control	EQ	S0340-CS1-HFC
01-035418	[obsolete]	Pedestal mounted eye/face wash, plastic bowl, hand/foot control	EQ	S0320-HFC
01-035418PBC	[obsolete]	Pedestal mounted eye/face wash, stainless steel bowl, plastic dust cover, hand/foot control	EQ	S0340-CS1-HFC
01-035501		Wall mounted eye/face wash, plastic bowl	EQ	S0420
01-035503	[obsolete]	Wall mounted eye/face wash, plastic bowl	EQ	S0420
01-035509	[obsolete]	Wall mounted eye/face wash, plastic bowl	EQ	S0420
01-035510	[obsolete]	Wall mounted eye/face wash, plastic bowl, P-trap	EQ	S0420-PT1
01-035511	[obsolete]	Wall mounted eye/face wash, plastic bowl	EQ	S0420
01-035512	[obsolete]	Wall mounted eye/face wash, plastic bowl, P-trap	EQ	S0420-PT1
01-040106	[obsolete]	Recessed wall mounted eyewash	EQ	S0550
01-040112	[obsolete]	Recessed wall mounted eyewash, w/drain pan	EQ	S0550-PAN
01-040121	[obsolete]	Deck mounted eyewash, swivel w/horizontal 1/2" valve and push flag, right hand mount	SPECIAL	Contact Acorn CS
01-040122	[obsolete]	Deck mounted eyewash, swivel w/horizontal 1/2" valve and push flag, left hand mount	SPECIAL	Contact Acorn CS
01-040123	[obsolete]	Deck mounted eyewash, Saf-T-Lok swivel w/1/2" valve and push flag, right hand mount	EQ	S0A50-RH
01-040124	[obsolete]	Deck mounted eyewash, Saf-T-Lok swivel w/1/2" valve and push flag, left hand mount	EQ	S0A50-LH
01-040125	[obsolete]	Deck mounted eyewash, swivel w/1/2" valve and push flag, right hand mount	EQ	S0A50-RH
01-040126	[obsolete]	Deck mounted eyewash, swivel w/1/2" valve and push flag, left hand mount	EQ	S0A50-LH
01-040127	[obsolete]	Deck mounted eyewash, swivel activation, right hand mount	EQ	S0950-RH

EXTENSIVE COMPETITIVE CROSSOVER



vs.

ENCON

Document Updated: Jan. 2016

ENCON MODEL		DESCRIPTION		ACORN SAFETY MODEL
	Note*	All Acorn models noted * meet ANSI Z358.1 @ 20 gpm. 30 gpm not required. LEGEND: EQ= Equivalent; BE=Best Equivalent; ALT=Suggested Alternate; SPECIAL=Special order (contact Acorn Customer Service)		
01-040128	[obsolete]	Deck mounted eyewash, swivel activation, left hand mount	EQ	S0950-LH
01-040130	[obsolete]	Deck mounted eyewash, swing down, right hand mount	EQ	S0850-RH
01-040133	[obsolete]	Deck mounted eyewash, swing down, side mount	BE	S0950-RH
01-040139	[obsolete]	Recessed wall mounted eyewash, w/drain pan	EQ	S0550-PAN
01-040140	[obsolete]	Recessed wall mounted eyewash	EQ	S0550
01-040141	[obsolete]	Wall mounted eyewash, swing down, w/wall plate	BE	S0650
01-040142	[obsolete]	Wall mounted eyewash, swing down	EQ	S0650
01-040410	[obsolete]	Pedestal mounted eye/face wash, stainless steel bowl, drench hose	EQ	S0341
01-045001		Wall mounted eyewash, stainless steel bowl	EQ	S0430
01-045001PBC		Wall mounted eyewash, stainless steel bowl, plastic dust cover	ALT	S0430-CS1
01-045002		Pedestal mounted eyewash, stainless steel bowl	EQ	S0330
01-045002PBC	[obsolete]	Pedestal mounted eyewash, stainless steel bowl, plastic dust cover	ALT	S0330-CS1
01-045002SBC		Pedestal mounted eyewash, stainless steel bowl, stainless steel dust cover	EQ	S0330-CS1
01-045003	[obsolete]	Wall mounted eyewash, stainless steel bowl	EQ	S0430
01-045005PBC		Wall mounted eyewash, stainless steel bowl, plastic dust cover	ALT	S0430-CS1
01-045005SBC		Wall mounted eyewash, stainless steel bowl, stainless steel dust cover	EQ	S0430-CS1
01-045006	[obsolete]	Pedestal mounted eyewash, stainless steel bowl, hand/foot control	EQ	S0330-HFC
01-045006PBC	[obsolete]	Pedestal mounted eyewash, stainless steel bowl, hand/foot control, plastic dust cover	EQ	S0330-CS1-HFC
01-045006SBC	[obsolete]	Pedestal mounted eyewash, stainless steel bowl, hand/foot control, stainless steel dust cover	EQ	S0330-CS1-HFC
01-045007	[obsolete]	Wall mounted eyewash, all stainless steel, except spray heads	EQ	S0430-AS
01-045008	[obsolete]	Pedestal mounted eyewash, stainless steel bowl	EQ	S0330
01-045010	[obsolete]	Wall mounted eyewash, stainless steel bowl, P-trap	EQ	S0430-PT1
01-045012	[obsolete]	Pedestal mounted eyewash, stainless steel bowl, hand/foot control	EQ	S0330-HFC

EXTENSIVE COMPETITIVE CROSSOVER



vs.

ENCON

Document Updated: Jan. 2016

ENCON MODEL	DESCRIPTION	ACORN SAFETY MODEL
	Note* All Acorn models noted * meet ANSI Z358.1 @ 20 gpm. 30 gpm not required. LEGEND: EQ= Equivalent; BE=Best Equivalent; ALT=Suggested Alternate; SPECIAL=Special order (contact Acorn Customer Service)	
01-045015	Wall mounted eyewash, all stainless steel	EQ S0430-AS-SSE
01-045501	Wall mounted eye/face wash, stainless steel bowl	EQ S0440
01-045501SBC	Wall mounted eye/face wash, stainless steel bowl, stainless dust cover	EQ S0440-CS1
01-045502	<i>[obsolete]</i> Pedestal mounted eye/face wash, stainless steel bowl	EQ S0340
01-045502PBC	<i>[obsolete]</i> Pedestal mounted eye/face wash, stainless steel bowl, plastic dust cover	EQ S0340-CS1
01-045502SBC	<i>[obsolete]</i> Pedestal mounted eye/face wash, stainless steel bowl, stainless steel dust cover	EQ S0340-CS1
01-045503	<i>[obsolete]</i> Wall mounted eye/face wash, stainless steel bowl	EQ S0440
01-045506	<i>[obsolete]</i> Pedestal mounted eye/face wash, stainless steel bowl, hand/foot control	EQ S0340-HFC
01-045506PBC	<i>[obsolete]</i> Pedestal mounted eye/face wash, stainless steel bowl, hand/foot control, plastic dust cover	EQ S0340-CS1-HFC
01-045506SBC	<i>[obsolete]</i> Pedestal mounted eye/face wash, stainless steel bowl, hand/foot control, stainless steel dust cover	EQ S0340-CS1-HFC
01-045507	<i>[obsolete]</i> Wall mounted eye/face wash, all stainless steel, except spray heads	EQ S0440-AS
01-045509	<i>[obsolete]</i> Pedestal mounted eye/face wash, all stainless steel, except spray heads	EQ S0340-AS
01-045510	<i>[obsolete]</i> Wall mounted eye/face wash, stainless steel bowl, P-trap	EQ S0440-PT1
01-045514	<i>[obsolete]</i> Pedestal mounted eye/face wash, stainless steel bowl	EQ S0340
01-045515	<i>[obsolete]</i> Pedestal mounted eye/face wash, stainless steel bowl, hand/foot control	EQ S0340-HFC
01-045609	<i>[obsolete]</i> Wall mounted eye/face wash, no bowl	EQ S0460
01-045621	<i>[obsolete]</i> Deck mounted eye/face wash, swivel w/1/2" horizontal valve & push flag, right hand mount	SPECIAL <i>Contact Acorn CS</i>
01-045622	<i>[obsolete]</i> Deck mounted eye/face wash, swivel w/1/2" horizontal valve & push flag, left hand mount	SPECIAL <i>Contact Acorn CS</i>
01-045623	<i>[obsolete]</i> Deck mounted eye/face wash, Saf-T-Lok swivel w/1/2" valve & push flag, right hand mount	EQ S0A60-RH
01-045624	<i>[obsolete]</i> Deck mounted eye/face wash, Saf-T-Lok swivel w/1/2" valve & push flag, left hand mount	EQ S0A60-LH

EXTENSIVE COMPETITIVE CROSSOVER



vs.

ENCON

Document Updated: Jan. 2016

ENCON MODEL		DESCRIPTION		ACORN SAFETY MODEL
	Note*	All Acorn models noted * meet ANSI Z358.1 @ 20 gpm. 30 gpm not required. LEGEND: EQ= Equivalent; BE=Best Equivalent; ALT=Suggested Alternate; SPECIAL=Special order (contact Acorn Customer Service)		
01-045625	[obsolete]	Deck mounted eye/face wash, swivel w/1/2" valve & push flag, right hand mount	EQ	S0A60-RH
01-045626	[obsolete]	Deck mounted eye/face wash, swivel w/1/2" valve & push flag, left hand mount	EQ	S0A60-LH
01-050201 (30 gpm)*		Frost proof drench shower w/bury valve	EQ	S1300-FPB* <i>specify bury depth</i>
01-050203 (30 gpm)*	[obsolete]	Frost proof drench shower w/bury valve, all stainless steel	EQ	S1300-AS-FPB* <i>specify bury depth</i>
01-050205 (30 gpm)*		Combination shower & eyewash, plastic head, no bowl	EQ	S1350*
01-050207 (30 gpm)*		Combination shower & eyewash, plastic head, plastic bowl	EQ	S1310*
01-050208 (30 gpm)*	[obsolete]	Combination shower & eyewash, plastic head, plastic bowl, drench hose	EQ	S1311*
01-050209 (30 gpm)*		Combination shower & eyewash, plastic head, plastic bowl	EQ	S1310*
01-050209P20		Combination shower & eyewash, plastic head, plastic bowl, 20gpm	EQ	S1310
01-050210 (30 gpm)*		Combination shower & eyewash, plastic head, plastic bowl, corrosion resistant coating	EQ	S1310*
01-050211 (30 gpm)*	[obsolete]	Combination shower & eyewash, plastic head, plastic bowl, drench hose, hand/foot control	EQ	S1311-HFC*
01-050216 (30 gpm)*		Combination shower & eye/face wash, plastic head, plastic bowl	EQ	S1320*
01-050217 (30 gpm)*		Combination shower & eyewash, plastic head, plastic bowl	EQ	S1310*
01-050217P20		Combination shower & eyewash, plastic head, plastic bowl, 20gpm	EQ	S1310
01-050218 (30 gpm)*	[obsolete]	Combination shower & eye/face wash, plastic head, plastic bowl	EQ	S1320*
01-050219 (30 gpm)*		Combination shower & eye/face wash, plastic head, plastic bowl, all stainless steel,	EQ	S1320-AS*
01-050220 (30 gpm)*	[obsolete]	Combination shower & eyewash, plastic head, no bowl, all stainless steel	EQ	S1350-AS*
01-050221 (30 gpm)*		Combination shower & eye/face wash, plastic head, no bowl	EQ	S1360*
01-050222 (30 gpm)*	[obsolete]	Combination shower & eye/face wash, plastic head, no bowl	EQ	S1360*
01-050223 (30 gpm)*		Combination shower & eyewash, plastic head, plastic bowl, all stainless steel	EQ	S1310-AS*
01-050224 (30 gpm)*		Combination shower & eye/face wash, plastic head, no bowl	EQ	S1360*
01-050226 (30 gpm)*	[obsolete]	Combination shower & eyewash, plastic head, no bowl	EQ	S1350*

EXTENSIVE COMPETITIVE CROSSOVER



vs.

ENCON

Document Updated: Jan. 2016

ENCON MODEL		DESCRIPTION		ACORN SAFETY MODEL
	Note*	All Acorn models noted * meet ANSI Z358.1 @ 20 gpm. 30 gpm not required. LEGEND: EQ= Equivalent; BE=Best Equivalent; ALT=Suggested Alternate; SPECIAL=Special order (contact Acorn Customer Service)		
01-050227 (30 gpm)*	[obsolete]	Combination shower & eyewash, plastic head, no bowl	EQ	S1350*
01-050228 (30 gpm)*		Combination shower & eye/face wash, plastic head, plastic bowl	EQ	S1320*
01-050229 (30 gpm)*	[obsolete]	Combination shower & eyewash, plastic head, no bowl, all stainless steel	EQ	S1350-AS*
01-050230 (30 gpm)*		Combination shower & eyewash, plastic head, stainless steel bowl,	EQ	S1330*
01-050231 (30 gpm)*	[obsolete]	Combination shower & eyewash, plastic head, stainless steel bowl, barrier free	EQ	S1330-BF*
01-050232 (30 gpm)*		Combination shower & eyewash, all stainless steel	EQ	S1330-AS-SSE*
01-050234 (30 gpm)*		Combination shower & eye/face wash, plastic head, stainless steel bowl,	EQ	S1340*
01-050234PBC (30 gpm)*		Combination shower & eye/face wash, plastic head, stainless steel bowl, plastic dust cover	ALT	S1340-CS1*
01-05234SBC (30 gpm)*		Combination shower & eye/face wash, plastic head, stainless steel bowl, stainless dust cover	EQ	S1340-CS1*
01-050235 (30 gpm)*	[obsolete]	Combination shower & eye/face wash, plastic head, stainless steel bowl, barrier free	EQ	S1340-BF*
01-050236 (30 gpm)*	[obsolete]	Combination shower & eye/face wash, plastic head, all stainless steel,	EQ	S1340-AS*
01-050237 (30 gpm)*	[obsolete]	Combination shower & eye/face wash, plastic head, no bowl, all stainless steel	EQ	S1360-AS*
01-050241 (30 gpm)*	[obsolete]	Combination shower & eye/face wash, plastic head, plastic bowl, hand/foot control	EQ	S1320-HFC*
01-050248	[obsolete]	Combination shower & eyewash, plastic head, plastic bowl, all stainless steel, hand/foot control, 20gpm	EQ	S1310-AS-HFC
01-050249 (30 gpm)*	[obsolete]	Combination shower & eye/face wash, plastic head, plastic bowl, all stainless steel, hand/foot control	EQ	S1320-AS-HFC*
01-050250 (30 gpm)*	[obsolete]	Combination shower & eyewash, plastic head, all stainless steel, barrier free, hand/foot control	EQ	S1330-AS-BF-HFC*
01-050251		Combination shower & eyewash, plastic head, plastic bowl, 20gpm	EQ	S1310
01-050253 (30 gpm)*	[obsolete]	Combination shower & eye/face wash, plastic head, all stainless steel, barrier free, hand/foot control	EQ	S1340-AS-BF-HFC*

EXTENSIVE COMPETITIVE CROSSOVER



vs.

ENCON

Document Updated: Jan. 2016

ENCON MODEL	DESCRIPTION	ACORN SAFETY MODEL
	Note* All Acorn models noted * meet ANSI Z358.1 @ 20 gpm. 30 gpm not required. LEGEND: EQ= Equivalent; BE=Best Equivalent; ALT=Suggested Alternate; SPECIAL=Special order (contact Acorn Customer Service)	
01-050260	Combination shower & eye/face wash, plastic head, plastic bowl, 20gpm	EQ S1320
01-050264 (30 gpm)*	Combination shower & eyewash, all stainless steel	EQ S2330-AS-SSE*
01-050265 (30 gpm)*	[obsolete] Combination shower & eyewash, plastic head, plastic bowl	EQ S1310*
01-050266 (30 gpm)*	Combination shower & eye/face wash, plastic head, plastic bowl	EQ S1320*
01-050266PBC (30 gpm)	Combination shower & eye/face wash, plastic head, plastic bowl, plastic dust cover	EQ S1320-CS1*
01-050267 (30 gpm)*	[obsolete] Combination shower & eyewash, plastic head, plastic bowl, hand/foot control	EQ S1310-HFC*
01-050268 (30 gpm)*	[obsolete] Combination shower & eye/face wash, plastic head, plastic bowl, hand/foot control	EQ S1320-HFC*
01-050269 (30 gpm)*	[obsolete] Combination shower & eyewash, plastic head, stainless steel bowl, barrier free, hand/foot control	EQ S1330-BF-HFC*
01-050270 (30 gpm)*	[obsolete] Combination shower & eye/face wash, plastic head, stainless steel bowl, barrier free, hand/foot control	EQ S1340-BF-HFC*
01-050272 (30 gpm)*	Combination shower & eye wash, plastic head, stainless steel bowl, barrier free,	EQ S1330-BF*
01-050273 (30 gpm)*	Combination shower & eye/face wash, plastic head, stainless steel bowl, barrier free,	EQ S1340-BF*
01-050274 (30 gpm)*	Combination shower & eyewash, plastic head, plastic bowl, barrier free	EQ S1310-BF*
01-050275 (30 gpm)*	[obsolete] Combination shower & eye/face wash, plastic head, plastic bowl, barrier free	EQ S1320-BF*
01-050276	Combination shower & eyewash, plastic head, plastic bowl, 20gpm	EQ S1310
01-050277	Combination shower & eye/face wash, plastic head, plastic bowl, 20gpm	EQ S1320
01-050278 (30 gpm)*	[obsolete] Combination shower & eye/face wash, plastic head, no bowl	EQ S1360*
01-050281 (30 gpm)*	Combination shower & eyewash, plastic head, stainless steel bowl, barrier free, hand/foot control	EQ S1330-BF-HFC*
01-050282 (30 gpm)*	[obsolete] Combination shower & eyewash, plastic head, plastic bowl, hand/foot control	EQ S1310-HFC*
01-050283 (30 gpm)*	[obsolete] Combination shower & eyewash, plastic head, no bowl	EQ S1350*

EXTENSIVE COMPETITIVE CROSSOVER



vs.

ENCON

Document Updated: Jan. 2016

ENCON MODEL		DESCRIPTION		ACORN SAFETY MODEL
	Note*	All Acorn models noted * meet ANSI Z358.1 @ 20 gpm. 30 gpm not required. LEGEND: EQ= Equivalent; BE=Best Equivalent; ALT=Suggested Alternate; SPECIAL=Special order (contact Acorn Customer Service)		
01-050284 (30 gpm)*	[obsolete]	Combination shower & eyewash, plastic head, stainless steel bowl, drench hose	EQ	S1331-BF*
01-050288 (30 gpm)*		Combination shower & eye/face wash, plastic head, plastic bowl, drench hose	EQ	S1321*
01-050290 (30 gpm)*		Combination shower & eyewash, plastic head, plastic bowl, hand/foot control	EQ	S1310-HFC*
01-050291 (30 gpm)*	[obsolete]	Combination shower & eye/face wash, plastic head, no bowl, drench hose	EQ	S1361*
01-050294 (30 gpm)*		Freeze resistant, horizontal drench shower, plastic head, thru wall activation	EQ	S1200-FRV*
01-050314 (30 gpm)*		Combination shower & eyewash, plastic head, plastic bowl, drench hose, freeze protection valve	EQ	S1311-FPV*
01-050315 (30 gpm)*		Combination shower & eyewash, plastic head, plastic bowl, drench hose, scald protection valve	EQ	S1311-SPV*
01-050317 (30 gpm)*	[obsolete]	Combination shower & eyewash, plastic head, plastic bowl, freeze protection valve	EQ	S1310-FPV*
01-050357 (30 gpm)*	[obsolete]	Combination shower & eyewash, plastic head, plastic bowl, scald protection valve	EQ	S1310-SPV*
01-050360 (30 gpm)*	[obsolete]	Combination shower & eyewash, plastic head, stainless steel bowl, freeze protection valve	EQ	S1330-FPV*
01-050362 (30 gpm)*		Combination shower & eyewash, plastic head, plastic bowl, freeze & scald protection valve	EQ	S1310-FPV-SPV*
01-050363 (30 gpm)*	[obsolete]	Combination shower & eyewash, plastic head, plastic bowl, drench hose, freeze & scald protection valve	EQ	S1311-FPV-SPV*
01-050370 (30 gpm)*	[obsolete]	Combination shower & eyewash, plastic head, plastic bowl, hand/foot control	EQ	S1310-HFC*
01-050372 (30 gpm)*	[obsolete]	Combination shower & eye/face wash, plastic head, plastic bowl, drench hose, hand/foot control	EQ	S1321-HFC*
01-050374 (30 gpm)*	[obsolete]	Combination shower & eye/face wash, plastic head, stainless steel bowl, drench hose, barrier free	EQ	S1341-BF*
01-050376		Combination shower & eyewash, plastic head, plastic bowl, hand/foot control, 20gpm	EQ	S1310-HFC
01-050377	[obsolete]	Combination shower & eye/face wash, plastic head, plastic bowl, hand/foot control, 20gpm	EQ	S1320-HFC

EXTENSIVE COMPETITIVE CROSSOVER



vs.

ENCON

Document Updated: Jan. 2016

ENCON MODEL		DESCRIPTION		ACORN SAFETY MODEL
	Note*	All Acorn models noted * meet ANSI Z358.1 @ 20 gpm. 30 gpm not required. LEGEND: EQ= Equivalent; BE=Best Equivalent; ALT=Suggested Alternate; SPECIAL=Special order (contact Acorn Customer Service)		
01-050379 (30 gpm)*	[obsolete]	Combination shower & eye/face wash, plastic head, no bowl, all stainless steel, hand/foot control	EQ	S1360-AS-HFC*
01-050381 (30 gpm)*		Combination shower & eyewash, plastic head, plastic bowl, hand/foot control	EQ	S1310-HFC*
01-050382 (30 gpm)*	[obsolete]	Combination shower & eye/face wash, plastic head, plastic bowl, hand/foot control	EQ	S1320-HFC*
01-050422 (30 gpm)*	[obsolete]	Combination shower & eye/face wash, stainless steel head & bowl, hand/foot control	EQ	S2340-HFC*
01-050426 (30 gpm)*	[obsolete]	Combination shower & eye/face wash, all stainless steel	EQ	S2340-AS*
01-050430 (30 gpm)*	[obsolete]	Combination shower & eye/face wash, all stainless steel hand/foot control	EQ	S2340-AS-HFC*
01-050471SBC (30 gpm)*	[obsolete]	Combination shower & eye/face wash, stainless steel head & bowl, stainless dust cover	EQ	S2340-CS1*
01-050472 (30 gpm)*	[obsolete]	Combination shower & eye/face wash, stainless steel head & bowl	EQ	S2340*
01-050477 (30 gpm)*	[obsolete]	Combination shower & eye/face wash, stainless steel head & bowl, hand/foot control	EQ	S2340-HFC*
01-050478 (30 gpm)*	[obsolete]	Combination shower & eye/face wash, stainless steel head & bowl	EQ	S2340*
01-052500 (30 gpm)*	[obsolete]	Vertical drench shower, recessed stainless steel head	EQ	S3200*
01-052501 (30 gpm)*		Horizontal drench shower, plastic head	EQ	S1200*
01-052501SS (30 gpm)*		Horizontal drench shower, stainless steel head	EQ	S2200-AS*
01-052502 (30 gpm)*		Vertical drench shower, plastic head	EQ	S1100*
01-052502SS (30 gpm)*		Vertical drench shower, stainless steel head	EQ	S2100*
01-052507 (30 gpm)*	[obsolete]	Horizontal drench shower, recessed stainless steel head	EQ	S3200-PR43*
01-052518	[obsolete]	Horizontal drench shower, recessed stainless steel head, 20 gpm	EQ	S3200-PR43
01-052520	[obsolete]	Vertical drench shower, recessed stainless steel head, 20gpm	EQ	S3200-PR43
01-052522		Horizontal drench shower, plastic head, 20gpm	EQ	S1200
01-052524		Vertical drench shower, plastic head, 20gpm	EQ	S1100
01-052530 (30 gpm)*		Horizontal drench shower, plastic head, all stainless steel	EQ	S1200-AS*

EXTENSIVE COMPETITIVE CROSSOVER



vs.

ENCON

Document Updated: Jan. 2016

ENCON MODEL	DESCRIPTION	ACORN SAFETY MODEL
	Note* All Acorn models noted * meet ANSI Z358.1 @ 20 gpm. 30 gpm not required. LEGEND: EQ= Equivalent; BE=Best Equivalent; ALT=Suggested Alternate; SPECIAL=Special order (contact Acorn Customer Service)	
01-052531 (30 gpm)*	Vertical drench shower, plastic head, all stainless steel	EQ S1100-AS*
01-052531SS (30 gpm*)	Vertical drench shower, stainless steel head, all stainless steel	EQ S2100-AS*
01-052555 (30 gpm)*	Horizontal drench shower, stainless steel head, all stainless	EQ S2200-AS*
01-053001 (30 gpm)*	Horizontal drench shower, plastic head,	EQ S1200*
01-053001SS (30 gpm)*	Horizontal drench shower, stainless steel head	EQ S2200*
01-053002 (30 gpm)*	Vertical drench shower, plastic head	EQ S1100*
01-053002SS (30 gpm)*	Vertical drench shower, stainless steel head,	EQ S2100*
01-053004 (30 gpm)*	Horizontal drench shower, plastic head, all stainless steel	EQ S1200-AS*
01-053005 (30 gpm)*	Vertical drench shower, plastic head, all stainless steel	EQ S1100-AS*
01-053005SS (30 gpm)*	Vertical drench shower, stainless steel head, all stainless steel	EQ S2100-AS*
01-053006 (30 gpm)*	Horizontal drench shower, plastic head, barrier free	EQ S1200-PR42*
01-053007 (30 gpm)*	Horizontal drench shower, stainless steel head, all stainless	EQ S200-AS*
01-060007 (30 gpm)*	Combination shower & eyewash, all PVC, plastic shower head & bowl	EQ S1310-PVC*
01-060009 (30 gpm)*	Combination shower & eye/face wash, plastic head, plastic bowl, all PVC	EQ S1320-PVC*
01-060021 (30 gpm)*	Combination shower & eye wash, plastic head, plastic bowl, all PVC	EQ S1310-PVC*
01-090008	[obsolete] Drench hose, wall mounted, single head stay open	EQ S0402
01-090009	[obsolete] Drench hose, deck mounted, single head stay open	EQ S0702
01-090012	Drench hose, deck mounted, two heads eyewash, stay open	EQ S0706
01-090102	[obsolete] Drench hose, wall mounted, two heads eyewash, 1/2" stay open ball valve, 12' coiled hose	EQ S0408-CH12
01-104050	[obsolete] Portable gravity feed eyewash	EQ S0P50
01-112428 (30 gpm)*	[obsolete] Combination shower & eyewash, recessed stainless steel head, recessed activation	EQ S3250-RA*
01-112429 (30 gpm)*	[obsolete] Combination shower & eyewash, extended stainless steel head, recessed activation	EQ S2150-PE21-RA*
01-112470 (30 gpm)*	[obsolete] Combination shower & eyewash, recessed stainless steel head, drain pan, recessed activation	EQ S3250-PAN-RA*

EXTENSIVE COMPETITIVE CROSSOVER



vs.

ENCON

Document Updated: Jan. 2016

ENCON MODEL		DESCRIPTION		ACORN SAFETY MODEL
	Note*	All Acorn models noted * meet ANSI Z358.1 @ 20 gpm. 30 gpm not required. LEGEND: EQ= Equivalent; BE=Best Equivalent; ALT=Suggested Alternate; SPECIAL=Special order (contact Acorn Customer Service)		
01-112471 (30 gpm)*	[obsolete]	Combination shower & eyewash, extended stainless steel head, drain pan, recessed activation	EQ	S2150-PAN-PE21-RA*
01-114013	[obsolete]	Deck mounted eye/face wash, stainless steel bowl, push down valve	EQ	S0740-PDV
01-114014	[obsolete]	Deck mounted eyewash, stainless steel bowl, push down valve	EQ	S0730-PDV
01-114015	[obsolete]	Deck mounted eyewash, stainless steel bowl, stainless steel heads, push down valve	EQ	S0730-PDV-SSE
01-114022 (30 gpm)*	[obsolete]	Combination shower & eye/face wash, all stainless steel	EQ	S2340-AS*
FRSSC-G (30 gpm)*		Frost proof combination shower & eyewash, plastic head, no bowl, w/bury valve	EQ	S1350-FPB* <i>specify bury depth</i>
FRSSC-S (30 gpm)*		Frost proof combination shower & eyewash, stainless steel head, no bowl, all stainless steel, w/bury valve	EQ	S2350-AS-FPB* <i>specify bury depth</i>
STF30WB120		30 GPM tempered water mixing system with external bypass	ALT	ET71-2
TF32B000000		Freeze resistant shower & eyeface wash, heat traced, bottom supply, C1D2	EQ	S1360-HT
TF34B000000		Freeze resistant shower & eyeface wash, heat traced, top supply, C1D2	EQ	S1360-HT